

BOZZ

Almost 100 years ago

KLUDI began manufacturing bathroom fittings using traditional methods of craftsmanship. Followed by high-quality, reliable fixtures of timeless design, this expertise formed the foundation of KLUDI. From the tradition as a faucet specialist, the goal was created to combine the highest quality of use and perfect design in a unique way. Thus the claim *Water in Perfection* finds unmistakable expression in our products as well as in all services we provide for our customers. It inspires and drives

our future activities.





KLUDI BOZZ embodies purism in its absolute form for the bathroom. Reduced to the essentials, this timelessly elegant range for washbasins, baths and showers does without any unnecessary ornamental touches or embellishments.

B O Z Z

Contents

Page 6–21	BOZZ
Page 22–27	<i>Water in Perfection</i>
Page 28–37	Series

KLUDI BOZZ is moving with the times. The new, optimised K36 cartridge provides particularly reliable functionality, precision operation and perfect enjoyment of water. The addition of three different fitting spout heights to the range ensures that the functionally and aesthetically optimal solution can be implemented for every washbasin situation, and it gives users the freedom to realise their individual preferences and requirements. KLUDI BOZZ is available in chrome and matt black as standard.

The original in its purest form



6



BOZZ

No room for excess – the exact lines and the strictly geometrical design language form the uncomplicated aesthetics of purism.

BOZZ

The original in its purest form

Reduced to the essentials – the design of BOZZ appeals with its uncompromising linear design and intentionally simple elegance.

The original in its purest form



8

BOZZ

Inspired by water pumps of past centuries and with a new, improved shape, KLUDI BOZZ embodies the essence of all fittings.

←

Single lever basin mixer
382820576

Fittings in three spout heights
provide the optimum solution
for any washbasin environment:
75, 100 to 240 mm.

→

Single lever basin mixer
382720576

The quintessence of all fittings:
BOZZ embodies purism in its
absolute form for the bathroom.



The original in its purest form



10

↑
Concealed two-hole
wall-mounted single
lever mixer
382450576
Purism in its absolute form:
the concealed wall fitting
needs no ornamentation.

BOZZ





The original in its purest form



→

Single lever washbowl mixer
382860576

Versatility Plus: the high-rise fitting
ensures optimum user convenience
with its 240 mm spout height.



The original in its purest form



14



BOZZ



↑
 Concealed single lever
 bath and shower mixer
 386500576
 Bath filler
 3850505
 Bath shower set
 2085005-15

Wall supply
 6306105-00

Less is more: the wall trims
 of the bath and shower
 mixers are extremely flat.

←
 Concealed single lever
 bath and shower mixer
 386500576
 Bath shower set
 2085005-15
 Shower arm
 6651405-00
 Head shower
 6432505-00

Wall supply
 6306005-00

Modern minimalism: BOZZ
 attracts attention to the
 washstand, bathtub and
 shower with its precise lines
 and clear geometrics.

The original in its purest form



←

Single lever bath and shower mixer

386910576

Bath shower set

2085005-15

Consistent design vocabulary: the elegant, downward curving spout gives the water flow a natural shape.



↑

Single lever shower mixer

388310576

Shower set

2084005-15

Minimalism in the shower: the two rosettes of the surface-mounted mixer are very flat, and the handle flows with its extremely slim design.

The original in its purest form



↓

Single lever basin mixer

382723976

Black and white glamour: the elegant matt black of the fitting is particularly effective as a contrast to the white of the ceramics.

18



BOZZ



←

Concealed two-hole wall-mounted
single lever mixer

382453976

Sleek elegance: the uncompromising
linear style and strict geometric
language are without equal.

↓

Single lever bath and shower mixer

386913976

Bath shower set

2085039-15


Consistently purist: the slim,
no-frills design of the fittings for
bath and shower is also striking.



The original in its purest form



20



BOZZ



The original in its purest form



Single lever shower mixer

388313976

Shower set

2084039-15

Single lever bath
and shower mixer

386913976

Bath shower set

2085039-15

Black is beautiful:
the BOZZ fittings look
particularly sophisticated
in trendy matt black.

When KLUDI designs bathroom and kitchen concepts, the aspect of utility is always a primary consideration – with the aim of making life a bit easier and more pleasant for everyone.

Water in Perfection

Technology, Design and Quality: Made in Germany

From easy and safe installation to unparalleled ease of use and perfect enjoyment of water – KLUDI fittings offer a multitude of added advantages for users.

Water in Perfection



Fittings in three spout heights provide the optimum solution for any washbasin environment.

75, 100, 240

More space to suit your needs

All users have their own visions of what makes their washbasin the ideal place for skincare and hygiene – in terms of functionality and aesthetics. With versions of the washbasin fitting in three different spout heights of 75, 100 and 240 mm, BOZZ guarantees that the optimal solution can be implemented for every washbasin

situation. Whether counter-top washbasins, undermount basins or washbowls are fitted, bathroom users always have the freedom to satisfy their individual preferences and requirements.

→
Less is more: the rosettes of the surface-mounted single lever mixer for bath and shower are reduced to the essentials.





Black is beautiful

For more individuality



Home interior design is all about style, trends, personal preferences and exclusivity. The bathroom is no exception here. Accordingly, individual, tailored solutions are sought-after, such as fittings finished in trendy matt black for a sophisticated touch instead of the usual chrome. Not a problem, as the key products in the KLUDI BOZZ range are also available in matt black as standard.





↑

Finishing touches:
every fitting is finished
to perfection.

True workmanship Uncompromising quality

KLUDI products embody quality workmanship, the kind associated with the 'Made in Germany' quality mark in Germany and abroad. From product development and in-house tool construction to manual final assembly, the quality management and quality assurance teams work together with all employees to make sure that the fittings and showers meet strictest finishing, functionality

and durability requirements. The goal here is to maximise customer and user satisfaction worldwide. Regularly certified and audited processes such as incoming goods inspections and manufacturing supervision help keep the complaint rate steadily low at significantly less than one percent.



BOZZ Series



Single lever basin mixer
75 DN 15

Single lever basin mixer
75 DN 15

Single lever basin mixer
75 DN 15

Single lever basin mixer
75 DN 15

- solid lever
- single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointer-aerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- flexible hoses G 3/8
- rapid installation set
- metal pop-up waste G 1 1/4
- spout height lower edge = 75 mm

- solid lever
- single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointer-aerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- flexible hoses G 3/8
- rapid installation set
- PUSH-OPEN waste G 1 1/4
- spout height lower edge = 75 mm

- solid lever
- single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointer-aerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- flexible hoses G 3/8
- rapid installation set
- without pop-up waste
- spout height lower edge = 75 mm

- solid lever
- single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointer-aerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- flexible hoses G 3/8
- rapid installation set
- metal pop-up waste G 1 1/4
- for use with displacement heaters
- spout height lower edge = 75 mm

05 chrome

05 chrome
39 matt black

05 chrome
39 matt black





05 chrome

Item no. 382700576

Item no. 382660576
Item no. 382663976

Item no. 382720576
Item no. 382723976

Item no. 382770576






Single lever basin mixer
75 DN 15

- solid lever
- single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointer-aerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- centre position cold water
- flexible hoses G 3/8
- rapid installation set
- metal pop-up waste G 1 1/4
- spout height lower edge = 75 mm

05 chrome

Item no. 382630576




Single lever basin mixer
100 DN 15

- solid lever
- single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointer-aerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- flexible hoses G 3/8
- rapid installation set
- metal pop-up waste G 1 1/4
- spout height lower edge = 100 mm

05 chrome

Item no. 382800576




Single lever basin mixer
100 DN 15

- solid lever
- single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointer-aerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- flexible hoses G 3/8
- rapid installation set
- PUSH-OPEN waste G 1 1/4
- spout height lower edge = 100 mm

05 chrome
39 matt black

Item no. 382880576
Item no. 382883976




Single lever basin mixer
100 DN 15

- solid lever
- single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointer-aerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- flexible hoses G 3/8
- rapid installation set
- without pop-up waste
- spout height lower edge = 100 mm

05 chrome
39 matt black

Item no. 382820576
Item no. 382823976





Single lever basin mixer
DN 15

- solid lever
- single hole mounted
- flow rate 7 l/min at 3 bar
- PCA cache-aerator M 16,5 x 1
- ceramic cartridge with hot water limitation
- swivelling spout
- flexible hoses G 3/8
- rapid installation set
- pop-up waste G 1 1/4
- noise level I
- spout height lower edge = 235 mm



Basin mixer
DN 15

- solid lever
- three hole assembling
- pop-up waste G 1 1/4
- flow rate 12 l/min at 3 bar
- cache-aerator M 21,5 x 1
- fixed spout
- ceramic headpart 90°
- flexible hoses G 3/8
- rapid installation set
- noise level I



Basin mixer
DN 15

- cross handles
- three hole assembling
- pop-up waste G 1 1/4
- flow rate 12 l/min at 3 bar
- cache-aerator M 21,5 x 1
- fixed spout
- ceramic headpart 90°
- flexible hoses G 3/8
- rapid installation set
- noise level I



Single lever washbowl mixer
DN 15

- solid lever
- single hole mounted
- flow rate 5 l/min at 3 bar
- cache s-pointer-aerator M 18,5 x 1
- ceramic cartridge with hot water limitation
- flexible hoses G 3/8
- rapid installation set
- spout height lower edge = 240 mm

05 chrome

05 chrome

05 chrome





05 chrome
39 matt black

Item no. 382940576

Item no. 383930576

Item no. 383930520

Item no. 382860576
Item no. 382863976






Wall mounted basin mixer DN 15

- for concealed installation
- solid lever
- flow rate 6 l/min at 3 bar
- PCA s-pointer aerator M 24 x 1
- ceramic headpart 90°
- pre-installation set and trim set
- projection wall spout 230 mm

05 chrome

Item no. 381460576




Wall mounted basin mixer DN 15

- for concealed installation
- solid lever
- flow rate 6 l/min at 3 bar
- PCA s-pointer aerator M 24 x 1
- ceramic headpart 90°
- pre-installation set and trim set
- projection wall spout 180 mm

05 chrome

Item no. 381450576




Wall mounted basin mixer DN 15

- for concealed installation
- cross handles
- flow rate 6 l/min at 3 bar
- PCA s-pointer aerator M 24 x 1
- ceramic headpart 90°
- pre-installation set and trim set
- projection wall spout 230 mm

05 chrome

Item no. 381460520




Wall mounted basin mixer DN 15

- for concealed installation
- cross handles
- flow rate 6 l/min at 3 bar
- PCA s-pointer aerator M 24 x 1
- ceramic headpart 90°
- pre-installation set and trim set
- projection wall spout 180 mm

05 chrome

Item no. 381450520






Concealed two-hole wall-mounted basin mixer

- trim set
- solid lever
- flow rate 5 l/min at 3 bar
- cache s-pointer-aerator M 24 x 1
- rosette diameter 70 mm
- projection wall spout 230 mm

Required accessories:
 · installation set DN 15 for concealed two-hole wall-mounted basin mixer

05 chrome
 39 matt black

Item no. 382450576
 Item no. 382453976
 Item no. 38243




Concealed two-hole wall-mounted basin mixer

- trim set
- solid lever
- flow rate 5 l/min at 3 bar
- cache s-pointer-aerator M 24 x 1
- rosette diameter 70 mm
- projection wall spout 180 mm

Required accessories:
 · installation set DN 15 for concealed two-hole wall-mounted basin mixer

05 chrome
 39 matt black

Item no. 382440576
 Item no. 382443976
 Item no. 38243




Wall mounted pillar valve DN 15

- wall fastening
- actuation by stick
- special headpart with spindle outlet
- aerator M 21,5 x 1
- flow rate 4,3 l/min at 3 bar
- with push-on rosette
- connection G 1/2
- projection 185 mm

05 chrome

Item no. 380180530




Wall mounted pillar valve DN 15

- wall fastening
- actuation by stick
- special headpart with spindle outlet
- aerator M 21,5 x 1
- flow rate 4,3 l/min at 3 bar
- with push-on rosette
- connection G 1/2
- projection 110 mm

05 chrome

Item no. 380170530






Pillar tap with head
part control unit DN 15

- single hole mounted
- actuation by stick
- special headpart with spindle outlet
- aerator M 21,5 x 1
- flow rate 4,3 l/min at 3 bar
- shank fastening G 1/2

05 chrome

Item no. 380160530



BASIN




Single lever bidet mixer
DN 15

- solid lever
- single hole mounted
- flow rate 6 l/min at 3 bar
- ball joint-aerator M 24 x 1
- ceramic cartridge with hot water limitation
- metal pop-up waste G 1 1/4
- flexible hoses G 3/8
- rapid installation set

05 chrome
39 matt black

Item no. 385330576

Item no. 385333976



BIDET



Single lever bath and shower mixer DN 15

- solid lever
- wall fastening
- aerator M 24 x 1
- flow rate 22 l/min at 3 bar
- ceramic cartridge with hot water limitation
- autom. diverter shower/bathtub
- protected against back flow
- shower outlet G 1/2
- s-connections G 1/2 x G 3/4



Concealed single lever bath and shower mixer

- concealed valve with functional unit
- solid lever
- autom. diverter shower/bathtub
- ceramic cartridge with hot water limitation
- flow rate 31 l/min at 3 bar



Concealed single lever bath and shower mixer

- concealed valve with functional unit
- solid lever
- autom. diverter shower/bathtub
- ceramic cartridge with hot water limitation
- flow rate 23 l/min at 3 bar
- protected against back flow
- according to DIN EN 1717



Bath filler DN 20

- wall fastening
- projection 160 mm
- s-pointer aerator M 24 x 1
- with push-on rosette

Required accessories:
· KLUDI FLEXX.BOXX concealed unit DN 20

Required accessories:
· KLUDI FLEXX.BOXX concealed unit DN 20

05 chrome
39 matt black

05 chrome
39 matt black

05 chrome
39 matt black





05 chrome
39 matt black

Item no. 386910576
Item no. 386913976

Item no. 386500576
Item no. 386503976
Item no. 88011

Item no. 386570576
Item no. 386573976
Item no. 88011

Item no. 3850505
Item no. 3850539





Bath and shower mixer
DN 15


- four hole tiles deck mounted installation
- stand assembly
- solid lever
- flow class C/B
- cascade aerator M 24 x 1
- ceramic headpart 90°
- autom. diverter shower/bathtub
- retractable hand shower
- protected against back flow
- flexible high pressure supply hoses
- G 1/2 x G 1/2 x 400 mm
- projection 220 mm
- noise level I

Required accessories:

- mounting plate
- pre-installation set for four hole mixer
- KLUDI ROTEXA
bath rim assembly kit

O5 chrome

Item no. 384240576
Item no. 7614846-00
Item no. 7878205-00



Bath and shower mixer
DN 15


- four hole tiles deck mounted installation
- stand assembly
- cross handles
- flow class C/B
- cascade aerator M 24 x 1
- ceramic headpart 90°
- autom. diverter shower/bathtub
- retractable hand shower
- protected against back flow
- flexible high pressure supply hoses
- G 1/2 x G 1/2 x 400 mm
- projection 220 mm
- noise level I

Required accessories:

- mounting plate
- pre-installation set for four hole mixer
- KLUDI ROTEXA
bath rim assembly kit

O5 chrome

Item no. 384240520
Item no. 7614846-00
Item no. 7878205-00





Single lever shower mixer DN 15

- solid lever
- wall fastening
- flow rate 28 l/min at 3 bar
- ceramic cartridge with hot water limitation
- protected against back flow
- shower outlet G 1/2
- s-connections G 1/2 x G 3/4



Thermostatic shower mixer DN 15

- wall fastening
- flow class B
- temperature control handle with hot water safety
- device 38° C
- with shut-off valve
- s-connections
- protected against back flow
- dirt catcher sieves
- shower outlet G 1/2
- P-IX 8049/IB



Concealed single lever shower mixer

- concealed valve with functional unit
- solid lever
- ceramic cartridge with hot water limitation
- flow rate 25 l/min at 3 bar

36

Required accessories:
 · KLUDI FLEXX.BOX
 concealed unit DN 20

05 chrome
39 matt black




05 chrome

05 chrome
39 matt black

Item no. 388310576
Item no. 388313976

Item no. 352030538

Item no. 386550576
Item no. 386553976
Item no. 88011



LEGEND Series



Eco



s-pointer



Low pressure



EcoPlus



Hot water shut-off at 38 °C



Kludi GmbH & Co. KG
P.O. Box 25 60 · 58685 Menden
Am Vogelsang 31–33 · 58706 Menden
Germany

T +49 2373 904-193
F +49 2373 904-540
E international-sales@kludi.com

© 2020 Kludi GmbH & Co. KG, Menden (Germany)

All rights reserved. Subject to technical changes. Reproduction, copying and translations shall only be permitted with our express written approval. Printed in Germany.

kludi.com